
BILT®

BUILDING SOLUTIONS



Ceramic tile Installation

Fastening Systems

Formwork accessories

CATALOGUE 3.2

BILT®
BUILDING SOLUTIONS

BILT's main activity focuses on the design, manufacture and marketing of plastic products for construction, offering solutions in ceramic fixing and installation systems.

BILT products are the result of the perfect combination of an experienced R&D team, which provides innovation and constant improvement, and a design team, which adds the necessary appeal to revolutionise the construction sector.

Our facilities, located in Barcelona, are equipped with the most advanced and sustainable plastic processing technology, enabling us to offer unbeatable production costs.




www.biltbs.com

CATALOGUE CONTENTS



Levelling and Tiling System

NOX Clip Levelling System 06
Removable wedge 09
Clip XXL Levelling System 10
Ceramic Protector 11
Levelling pliers/tongs 12
Crossbar CRX and Wedge 13
Facing Staple 14
Fix Staple 15
Exhibitors BILT 16
Rates and Data Levelling System 17



Fixings

Multidirectional Expansion Plug 22
Taco + Screw format 23
Fast Block 24
ISO PRO block 25
Multi-purpose boxes 25
Flange plug 26
Nylon flanges 27
Rates and Data Fixings 28



Formwork Accessories

Protective Set 32
Rudder Separator 33
Cobra Separator 34
Wall bushings 35
Cones and plugs 36
Rates and Additional Information for Formwork 37

Contact Bilt 38



LAYING CERAMIC TILES

Your ceramics project, our dedication



NOX Clip Levelling System




Clip XXL Levelling System




Removable Wedge



Levelling pliers/tongs



Crossbars CRX



Wall Staple

NOX CLIP: LEVELLING SYSTEM



OUR FORMATS ADAPTED TO YOUR PROJECT

NOX BAG

200 units of Nox Clip

For small home renovations



MINI BOX

1000 units of Nox Clip

For medium-sized homes/spaces



BIG BOX

4000 units of Nox Clip

For large areas



Name	Nox Clip 0.5 mm	Nox Clip 1 mm	Nox Clip 1.5 mm	Nox Clip 2 mm	Nox Clip 3 mm	Nox Clip 4 mm	Nox Clip 5 mm
Separation Distance	0,5 mm	1,0 mm	1,5 mm	2,0 mm	3,0 mm	4,0 mm	5,0 mm
Tile height	1-14 mm	1-14 mm	1-14 mm	1-14 mm	1-14 mm	1-14 mm	1-14 mm
Nox System	No	Yes	Yes	Yes	Yes	Yes	Yes


PATENTED SYSTEMS

Load distribution system




The distribution tabs relieve stress on the separation pillars, preventing chipping of the ceramic when removing the clip.

Compatibility with Wide and Narrow Wedges




Bilt's patented system allows for the use of a wide variety of wedges, making it the most universal on the market.

Simple and Effective Assembly




Minimalist base that allows for easy installation of the system.

Maximum Precision



Ensures perfect placement on both flooring and cladding.

Ensures Correct Breakage




Optimised design for perfect removal of the levelling clip.







REMOVABLE WEDGE





AVOID THE USE OF ADDITIONAL LIFTS



More pronounced teeth for improved grip.




Rear click to overlap wedges if a greater thickness is required.




Reinforcing ribs to prevent deformation or breakage of the wedge.

LEVELLING AND SEPARATION OF TILES FROM 1 to 25 mm


Designed for thicknesses from 1 to 14 mm in Nox Clip and from 15 to 25 mm in Clip XXL, an efficient solution for installing tiles and flagstones.




Nox Clip removable wedge for thickness: **1 to 5 mm.**



Single wedge in Nox Clip for thickness: **6 to 14 mm.**



Single wedge in XXL Clip for thickness: **15 to 25 mm.**




CLIP XXL LEVELLING SYSTEM



THICK-LAYER PLACEMENT AND LEVELLING

Thickness between: 15 - 25 mm



The XXL levelling piece provides sufficient height to achieve greater thicknesses, accommodating tiles up to 25 mm thick.



Foldable slot to fit all wedges on the market.



Allows for maximum precision in the alignment and spacing of tiles.



Serrated base to prevent movement during striking.



Breakaway nerve that allows the levelling system to be easily removed.

STONEWARE CERAMIC PROTECTOR





Flat portion for proper wedge positioning.



Protective rim to avoid damage when removing the levelling system.




Variation in protector thickness toenable use as a spacer.

EXTRA PROTECTION

Allows for protection between the wedge and the tiles to avoid possible damage to fragile materials.

TWO ACCESSORIES IN ONE

Not only can you use the protector as a barrier, you can also use it for tile spacing.



BILT ADJUSTABLE PLIERS





High-quality plastic-reinforced metal interior offers long-lasting durability.




New removable foot allows the tool to be supported and lightens the physical load when levelling.



Adjustable with a single button, it significantly speeds up working time.

IMPROVED GRIP



Firm rubber grip

EXTENDED DURABILITY



Reinforced metal interior

ACCESSORY INCLUDED



Rely on the tool



CRX CROSSES AND TILING WEDGE



CRX crosshead **1 mm**



CRX crosshead **1,5 mm**



CRX crosshead **2 mm**



CRX crosshead **3 mm**



CRX crosshead **4 mm**



CRX crosshead **5 mm**



CRX crosshead **7 mm**




CRX crosshead **10 mm**



Tile grout **0-5 mm**

NEW **A different colour for each size!**

Reference:	BSA 060	BSA 065	BSA 061	BSA 062	BSA 063	BSA 064	BSA 067	BSA 069	BSA 066
Name:	Crosshead CRX 1 mm	Crosshead CRX 1.5 mm	Crosshead CRX 2 mm	Crosshead CRX 3 mm	Crosshead CRX 4 mm	Crosshead CRX 5 mm	Crosshead CRX 8 mm	Crosshead CRX 10 mm	Cuñita Alicatado 5 mm
Separation Distance:	1.0 mm	1.5 mm	2.0 mm	3.0 mm	4.0 mm	5.0 mm	8.0 mm	10.0 mm	0-5 mm
Format:	300 u.	300 u.	300 u.	300 u.	300 u.	300 u.	150 u.	100 u.	500 u.



CLADDING FACADE CLAMP

STAINLESS STEEL

NEW







Designed for ceramic applications on large vertical surfaces where mechanical anchoring is required.

Reference:	Name:	Distance:	Format:
BSA125	Staple Start	10 mm	100 u.
BSA126	Staple Start	12 mm	100 u.
BSA127	Staple Start	15 mm	100 u.
BSA128	Staple Start	18 mm	100 u.


Reference:	Name:	Distance:	Format:
BSA129	Intermediate Staple	10 mm	100 u.
BSA130	Intermediate Staple	12 mm	100 u.
BSA131	Intermediate Staple	15 mm	100 u.
BSA132	Intermediate Staple	18 mm	100 u.




Start-up staple (hidden)



Start-up staple (visible)




Intermediate staple (hidden)



Intermediate staple (visible)

Colours available on request! Please enquire about prices and delivery times.





FIX STAPLE

STAINLESS STEEL

NEW







Grapa Fix is a metal anchor designed for laying ceramic tiles on clad façades, offering a quicker and tidier installation.

Its design allows the fixing to be concealed once installed, making it perfect when a clean finish with no visible elements is required.

Reference	Name	Material	Format
BSA133	Fix Staple	Inox. (304)	100 u.




Tile groove (45º)




Attach Fix Staple




Glue



Add tile



Drill



Place the cue ball

BILT DISPLAY STANDS

The best way to display BILT products in a convenient and attractive manner.

Designed to fit perfectly into any establishment.

Type 1 (cube)
Type 2 (cube + rear)

EXHIBITOR MEASURES

Nº MODULES	HEIGHT	DEPTH	LENGTH
1 MODULE	1900 mm	600 mm	400 mm
2 MODULES	1900 mm	600 mm	800 mm
3 MODULES	1900 mm	600 mm	1200 mm
4 MODULES	1900 mm	600 mm	1600 mm
5 MODULES	1900 mm	600 mm	2000 mm
6 MODULES	1900 mm	600 mm	2400 mm





TWEEZER DISPLAY



SPACE FOR 10 CLIPS

NOX CLIP LEVELLING SYSTEM



REFERENCE	NAME	FORMAT	PVP
BSA021	NOX CLIP 0.5 mm	200 u.	14.90€
BSA007	NOX CLIP 1.0 mm	200 u.	12.90€
BSA022	NOX CLIP 1.5 mm	200 u.	12.90€
BSA023	NOX CLIP 2.0 mm	200 u.	12.90€
BSA024	NOX CLIP 3.0 mm	200 u.	12.90€
BSA059	NOX CLIP 4.0 mm	200 u.	12.90€
BSA044	NOX CLIP 5.0 mm	200 u.	12.90€
BSA008	REMOVABLE WEDGE	100 u.	11.25€

MINI BOX CLIP



REFERENCE	NAME	FORMAT	PVP
BSA112	MINIBOX NOX CLIP 0.5 mm	1.000 u.	73.50€
BSA113	MINIBOX NOX CLIP 1.0 mm	1.000 u.	61.50€
BSA114	MINIBOX NOX CLIP 1.5 mm	1.000 u.	61.50€
BSA115	MINIBOX NOX CLIP 2.0 mm	1.000 u.	61.50€
BSA116	MINIBOX NOX CLIP 3.0 mm	1.000 u.	61.50€
BSA117	MINIBOX NOX CLIP 4.0 mm	1.000 u.	61.50€
BSA118	MINIBOX NOX CLIP 5.0 mm	1.000 u.	61.50€

BIG BOX NOX CLIP/WEDGES



REFERENCE	NAME	FORMAT	PVP
BSA045	BIGBOX NOX CLIP 0.5 mm	4.000 u.	282.00€
BSA046	BIGBOX NOX CLIP 1.0 mm	4.000 u.	235.00€
BSA047	BIGBOX NOX CLIP 1.5 mm	4.000 u.	235.00€
BSA048	BIGBOX NOX CLIP 2.0 mm	4.000 u.	235.00€
BSA049	BIGBOX NOX CLIP 3.0 mm	4.000 u.	235.00€
BSA053	BIGBOX NOX CLIP 4.0 mm	4.000 u.	235.00€
BSA050	BIGBOX NOX CLIP 5.0 mm	4.000 u.	235.00€
BSA051	BIGBOX REMOVABLE WEDGE	2.000 u.	215.00€

ADJUSTABLE PLIERS



REFERENCE	NAME	FORMAT	PVP
BSA009	ADJUSTABLE PLIERS	1 u.	22.50€

STONEWARE PROTECTOR



REFERENCE	NAME	FORMAT	PVP
BSA052	STONEWARE PROTECTOR	100 u.	11.90€

CLIP XXL LEVELLING SYSTEM



REFERENCE	NAME	FORMAT	PVP
BSA039	CLIP XXL 1.0 mm	200 u.	17.90€
BSA040	CLIP XXL 1.5 mm	200 u.	17.90€
BSA041	CLIP XXL 2.0 mm	200 u.	17.90€
BSA042	CLIP XXL 3.0 mm	200 u.	17.90€
BSA072	CLIP XXL 4.0 mm	200 u.	17.90€
BSA073	CLIP XXL 5.0 mm	200 u.	17.90€

KIT NOX CLIP



REFERENCE	NAME	FORMAT	PVP
BSA054	KIT NOX CLIP 0.5 mm + Wedge + Clamp	100+100+1u.	40.95€
BSA025	KIT NOX CLIP 1.0 mm + Wedge + Clamp	100+100+1u.	39.95€
BSA043	KIT NOX CLIP 1.5 mm + Wedge + Clamp	100+100+1u.	39.95€
BSA055	KIT NOX CLIP 2.0 mm + Wedge + Clamp	100+100+1u.	39.95€
BSA056	KIT NOX CLIP 3.0 mm + Wedge + Clamp	100+100+1u.	39.95€
BSA057	KIT NOX CLIP 4.0 mm + Wedge + Clamp	100+100+1u.	39.95€
BSA058	KIT NOX CLIP 5.0 mm + Wedge + Clamp	100+100+1u.	39.95€

CRX CROSSBARS AND WEDGES




REFERENCE	NAME	FORMAT	PVP
BSA060	CROSSHEAD CRX 1.0 mm	300 u.	2.65€
BSA065	CROSSHEAD CRX 1.5 mm	300 u.	2.85€
BSA061	CROSSHEAD CRX 2.0 mm	300 u.	2.90€
BSA062	CROSSHEAD CRX 3.0 mm	300 u.	3.45€
BSA063	CROSSHEAD CRX 4.0 mm	300 u.	3.85€
BSA064	CROSSHEAD CRX 5.0 mm	300 u.	2.95€
BSA068	CROSSHEAD CRX 7.0 mm	150 u.	3.12€
BSA069	CROSSHEAD CRX 10.0 mm	100 u.	3.72€
BSA066	LITTLE WEDGE 5.0 mm	500 u.	5.85€

FACADE CLADDING CLIP



REFERENCE	NAME	FORMAT	PVP
BSA125	STARTING STAPLE 10 mm **PLUG+SCREW**	100 u.*	59.90€
BSA126	STARTING STAPLE 12 mm **PLUG+SCREW**	100 u.*	59.90€
BSA127	STARTING STAPLE 15 mm **PLUG+SCREW**	100 u.*	59.90€
BSA128	STARTING STAPLE 18 mm **PLUG+SCREW**	100 u.*	59.90€
BSA129	STARTING STAPLE 10 mm **PLUG+SCREW**	100 u.*	59.90€
BSA130	STARTING STAPLE 12 mm **PLUG+SCREW**	100 u.*	59.90€
BSA131	STARTING STAPLE 15 mm **PLUG+SCREW**	100 u.*	59.90€
BSA132	STARTING STAPLE 18 mm **PLUG+SCREW**	100 u.*	59.90€
BSA 133	FIX STAPLE (Stainl. steel 304) **PLUG+SCREW**	100 u.*	119.50€

***The pack contains: 100 staples + 100 blocks + 100 screws**



PREMIUM
QUALITY
PREMIUM
TOYO






FASTENING SYSTEMS

Secure fastenings



Expansion Plug




Taco + Screw format




Taco Fast



Multitaco KIT format



ISO PRO block



Flange stud



Nylon flanges

MULTIDIRECTIONAL EXPANSION WALL PLUG






The stop fl ange prevents the wall plug from slipping into the hole.




The anti-rotation ridges prevent the wall plug from rotating during assembly.




The tapered wall plug tip makes insertion and assembly easy.

EXPANSION	RESISTANCE	ASSEMBLY
		
IN 4 DIRECTIONS	HOLLOW AND SOLID MATERIAL	OPTIONAL PERCUSSION


Suitable for:



Hollow material




Solid material




Wood




PLUG + SCREW FORMAT









1. Drill the support and material.



2. Clean, then insert the wall plug.



3. Secure the material and the screw.



4. Screw in, expanding the wall plug.

Reference:	PF 5 x 25	PF 6 x 30	PF 8 x 40	PF 10 x 50	PF 12 x 60	PF 14 x 70
Hole Diameter:	ø 5	ø 6	ø 8	ø 10	ø 12	ø 14
Minimum Hole Depth:	35 mm	40 mm	50 mm	70 mm	80 mm	90 mm
Minimum Screw Length:	30 mm	35 mm	45 mm	60 mm	70 mm	80 mm
Screw Type:	ø 3 - 4	ø 4 - 5	ø 4,5 - 6	ø 6 - 7	ø 8 - 10	ø 10 - 12



TACO FAST

NEW





The stop edge prevents the plug from sliding into the hole.



The anti-rotation grooves prevent the block from turning during assembly.




Rapid expansion allows us to place the plug in ceilings and thin profiles.




PROFILES




LAMINATED PLASTER




HOLLOW AND EMPTY MATERIAL




1. Drill surface



2. Clean and insert the plug



3. Tap to insert the block



4. The plug is fixed and secure.

Perfect for:



Laminated plaster



Multiple supports



Home applications

PF 6x37	Hole diameter	Depth of the hole	Length of the block	Screw	Format
	ø 6	40 mm	37 mm	Pre-assembled	100 u. /250u./ 1000 u.




ISO PRO TACK (APPROVED)



ETA-07 / 0291 ETA-07 / 0221 ETA-07 / 0036

PRODUCTO HOMOLOGADO



ISO Pro plug with nylon nail for installing insulation materials

Reference:	Name:	Length of the Taco:	Max. thickness of insulation	Format	Approved
BSA156	ISO PRO block 10 x 70	70 mm	40 mm	200 u.	Yes
BSA157	ISO PRO block 10 x 90	90 mm	60 mm	200 u.	Yes
BSA158	ISO PRO block 10 x 120	120 mm	90 mm	200 u.	Yes
BSA159	ISO PRO block 10 x 140	140 mm	110 mm	200 u.	Yes
BSA160	ISO PRO block 10 x 160	160 mm	130 mm	200 u.	Yes
BSA161	ISO PRO block 10 x 180	180 mm	150 mm	200 u.	Yes
BSA162	ISO PRO block 10 x 200	200 mm	170 mm	200 u.	Yes
BSA163	ISO PRO block 10 x 220	220 mm	190 mm	200 u.	Yes

MULTI-TRAY BOXES

NEW





MULTI-CHUNK BOXES - CHUNKS ONLY						
Reference:	PF 5 x 25	PF 6 x 30	PF 8 x 40	PF 10 x 50	PF 12 x 60	PF 14 x 70
Units:	60 u.	45 u.	35 u.	22 u.	16 u.	16 u.

MULTI-PLUG BOXES - PLUGS + SCREWS				
Reference:	PF 5 x 25	PF 6 x 30	PF 8 x 40	PF 10 x 50
Units:	50 + 50 u.	50 + 50 u.	50 + 50 u.	25 + 25 u.


PRESS-FIT PLUG FOR CABLE TIE




Designed for fastening using Nylon Cable Ties

Reference	Designation	Hole Diameter	Format
BSA164	Taco Brida ø 6 Negro	ø 6	100 u.
BSA165	Taco Brida ø 6 Blanco	ø 6	100 u.
BSA166	Taco Brida ø 8 Negro	ø 8	100 u.
BSA167	Taco Brida ø 8 Blanco	ø 8	100 u.


For installation of pipes for water, electricity, gas, heating, pneumatics, air conditioning, etc.




1. Drill the surface and clean.




2. Insert the plug and tap in.



3. Insert the cable tie into the anchorage.



4. Insert the material and secure the cable tie.



Designation	A	B	C	D
Flange plug ø 6	7,80 mm	31 mm	6,20 mm	9,70 mm
Flange plug ø 8	9,75 mm	37 mm	6,50 mm	9,70 mm

POLYAMID

ULTRAVIOLET

COMPLIANT RoHS

EXTREME TEMPERATUREN

HALOGEN - FREI

RESPEKTIERT DIE UMWELT



NYLON CABLE TIES

Application:
Practical solution for securing cables, pipes, etc. An option for securing to the wall with press-fit plugs.
Features:
Made under ISO 9002 standard.
Working temperature: between -40º und +85º C. Self-extinguishing capacity UL 94 V2. UL File E-118226 ®/ MIL-SPEC M 20693B.
Minimum Tension: according to MILS23190E STANDARD.
Black cable ties have greater resistance to ultraviolet rays.
Rounded edges for greater safety.
Material: Polyamid 6.6.
Color: Black/White



Reference	Designation	Dimensions	ø Min	ø Max	Format	Color
BSA168	Cable tie 2,5 x 100	2,5 x 100 mm	3 mm	20, 5 mm	100 u.	
BSA169	Cable tie 2,5 x 130	2,5 x 130 mm	3 mm	30 mm	100 u.	
BSA170	Cable tie 2,5 x 200	2,5 x 200 mm	3 mm	52,5 mm	100 u.	
BSA171	Cable tie 3,6 x 140	3,6 x 140 mm	3,5 mm	33 mm	100 u.	
BSA172	Cable tie 3,6 x 200	3,6 x 200 mm	3,5 mm	52,5 mm	100 u.	
BSA173	Cable tie 3,6 x 300	3,6 x 300 mm	3,5 mm	84 mm	100 u.	
BSA174	Cable tie 4,6 x 160	4,6 x 160 mm	3,5 mm	36,6 mm	100 u.	
BSA175	Cable tie 4,8 x 200	4,8 x 200 mm	3,5 mm	49,5 mm	100 u.	
BSA176	Cable tie 4,8 x 250	4,8 x 250 mm	3,5 mm	65 mm	100 u.	
BSA177	Cable tie 4,8 x 300	4,8 x 300 mm	3,5 mm	81 mm	100 u.	
BSA178	Cable tie 4,8 x 360	4,8 x 360 mm	3,5 mm	100 mm	100 u.	
BSA179	Cable tie 4,8 x 430	4,8 x 430 mm	3,5 mm	122,5 mm	100 u.	
BSA180	Cable tie 7,6 x 300	7,6 x 300 mm	8,5 mm	82,8 mm	100 u.	
BSA181	Cable tie 7,6 x 370	7,6 x 370 mm	8,5 mm	103,5 mm	100 u.	
BSA182	Cable tie 7,6 x 500	7,6 x 550 mm	8,5 mm	162,5 mm	100 u.	
BSA183	Cable tie 7,6 x 750	7,6 x 750 mm	8,5 mm	200 mm	100 u.	
BSA184	Cable tie 7,6 x 780	8,8 x 780 mm	8,5 mm	235,5mm	100 u.	
BSA185	Cable tie 12,4 x 1000	12,4 x 1000 mm	18 mm	315 mm	100 u.	

WALL PLUG BOX



REFERENCE	DENOMINATION	FORMAT	PVP
BSA001	PLUG 5x25	100 u.	3.95€
BSA002	PLUG 6x30	100 u.	4.98€
BSA003	PLUG 8x40	100 u.	7.35€
BSA004	PLUG 10x50	50 u.	6.98€
BSA005	PLUG 12x60	25 u.	6.70€
BSA006	PLUG 14x70	20 u.	9.85€

TACO PF CUBO



REFERENCE	DENOMINATION	FORMAT	PVP
BSA027	WALL PLUG 5x25	3.000 u.	75.40€
BSA028	WALL PLUG 6x30	3.000 u.	89.50€
BSA029	WALL PLUG 8x40	1.500 u.	73.45€
BSA030	WALL PLUG 10x50	750 u.	69.90€
BSA186	TACO 12x60	500 u.	73.50€
BSA187	TACO 14x70	300 u.	67.90€

TACO + TORNILLO CAJA



REFERENCE	DENOMINATION	FORMAT	PVP
BSA031	PF 5X25 + SCREW 3	50+50 u.	4.85€
BSA032	PF 6X30 + SCREW 4	50+50 u.	5.65€
BSA033	PF 8X40 + SCREW 5	50+50 u.	7.80€
BSA034	PF 10X50 + SCREW 6	25+25 u.	7.60€

TACO FAST



REFERENCE	DENOMINATION	FORMAT	PVP
BSA070	TACO FAST 6x37	100 u.	6.90€
BSA202	TACO FAST 6x37	250 u.	16.90€
BSA071	TACO FAST 6x37	1.000 u.	59.90€

CAJAS MULTITACO



REFERENCE	DENOMINATION	FORMAT	PVP
BSA188	MULTITACO BOX	194 u.	21.90€
BSA189	MULTITACO BOX + SCREW	350 u.	29.80€

TACO BRIDA



REFERENCE	DENOMINATION	FORMAT	PVP
BSA164	FLANGE PLUG Ø 6 BLACK	100 u.	4.30€
BSA165	FLANGE PLUG Ø 6 WHITE	100 u.	4.30€
BSA166	FLANGE PLUG Ø 8 BLACK	100 u.	4.20€
BSA167	FLANGE PLUG Ø 8 WHITE	100 u.	4.20€

NYLON FLANGE



REFERENCE	DENOMINATION	COLOR	FORMAT	PVP
BSA168	NYLON FLANGE 2,5 x 100	● ○	100 u.	0.90€
BSA169	NYLON FLANGE 2,5 x 130	● ○	100 u.	1.68€
BSA170	NYLON FLANGE 2,5 x 200	● ○	100 u.	2.20€
BSA171	NYLON FLANGE 3,6 x 140	● ○	100 u.	2.10€
BSA172	NYLON FLANGE 3,6 x 200	● ○	100 u.	2.90€
BSA173	NYLON FLANGE 3,6 x 300	● ○	100 u.	4.32€
BSA174	NYLON FLANGE 4,6 x 160	● ○	100 u.	3.34€
BSA175	NYLON FLANGE 4,8 x 200	● ○	100 u.	3.58€
BSA176	NYLON FLANGE 4,8 x 250	● ○	100 u.	5.18€
BSA177	NYLON FLANGE 4,8 x 300	● ○	100 u.	5.64€
BSA178	NYLON FLANGE 4,8 x 360	● ○	100 u.	7.10€
BSA179	NYLON FLANGE 4,8 x 430	● ○	100 u.	10.90€
BSA180	NYLON FLANGE 7,6 x 300	● ○	100 u.	11.80€
BSA181	NYLON FLANGE 7,6 x 370	● ○	100 u.	14.40€
BSA182	NYLON FLANGE 7,6 x 550	● ○	100 u.	27.80€
BSA183	NYLON FLANGE 7,6 x 750	● ○	100 u.	39.95€
BSA184	NYLON FLANGE 8,8 x 780	● ○	100 u.	44.30€
BSA185	NYLON FLANGE 12,4 x 1.000	● ○	100 u.	107.80€

ISO PRO TACK (APPROVED)




REFERENCE	DENOMINATION	FORMAT	PVP
BSA156	ISO PRO TACK 10x70	200 u.	48.70€
BSA157	ISO PRO TACK 10x90	200 u.	51.20€
BSA158	ISO PRO TACK 10x120	200 u.	59.90€
BSA159	ISO PRO TACK 10x140	200 u.	71.95€
BSA160	ISO PRO TACK 10x160	200 u.	77.80€
BSA161	ISO PRO TACK 10x180	200 u.	87.00€
BSA162	ISO PRO TACK 10x200	200 u.	101.90€
BSA163	ISO PRO TACK 10x220	200 u.	118.90€




FORMWORK ACCESSORIES


Placing structures professionally




Protection Caps



Wire mesh separators



Wall bushing



Cones and Plugs

PROTECTION CAPS



Protection Caps


for ø 8-20 bars

The caps are designed to protect sharp and dangerous parts in works and renovations.

They are strategically placed to alert people of the risks in certain areas.










SPACERS : WHEEL SPACER




Spacers For Formwork

Formwork executed under the regulations

To prevent contact between the vertical rods and the wooden shuttering.
They create a constant space, allow for proper ventilation and prevent problems such as corrosion and deterioration. They are simple to install, durable and resilient, making them a **reliable choice for eff ective spacing and for extending the structure's useful lifetime.**





Recommendation for placement in vertical reinforcing

Dimensions	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm	60 mm	70 mm
Units	Bag 250 u.	Bag 250 u.	Bag 100 u.	Bag 100 u.	Bag 50 u.	Bag 50 u.	Bag 100 u.	Bag 100 u.



Wheel 20 mm



Wheel 25 mm



Wheel 30 mm



Wheel 35 mm



Wheel 40 mm



Wheel 50 mm



Wheel 60 mm




Wheel 70 mm




Cobra Separator


Check Delivery Time




Modular plastic divider

Keeps the wire mesh raised off the ground.







180° rotation



Cobra separator, 25 x 500 mm



Cobra separator, 30 x 500 mm



Cobra separator, 35 x 500 mm



Cobra separator, 40 x 500 mm




Cobra separator, 50 x 500 mm




Cover more surface area with this new system, whose modular configuration allows you to cover even corners with ease.


The 90° corners provide solid and stable contact with the floor.




WALL BUSHINGS


Check Delivery Time







ø 22





CONES AND PLUGS

Check Delivery Time

Wall bushings

Plugs and cones for wall-penetrating pipes



Wall plug ø 22




Watertight plug ø 22

The wall-penetrating cones are located at the ends of the pipes and are conical in shape to facilitate uniform entry of the discharge.
This prevents air pockets and ensures the structural integrity of the concrete around the wall.

Wall plugs are used to permanently seal the ends of pipes, preventing the entry of dirt and external factors.

Denomination	Measures	Format
WALL BUSHING, ø 22	ø 22 x 2000 mm	1 u.
WALL BUSHING CONE, ø 22	ø 22 mm	200 u.
WATERPROOF PLUG, ø 22	ø 22 mm	250 u.





TIMON SEPARATOR




REFERENCE	DENOMINATION	FORMAT	PVP
BSA076	TIMON SEPARATOR 20 mm	250 u.	15.20€
BSA077	TIMON SEPARATOR 25 mm	250 u.	16.60€
BSA078	TIMON SEPARATOR 30 mm	100 u.	10.60€
BSA079	TIMON SEPARATOR 35 mm	100 u.	12.70€
BSA080	TIMON SEPARATOR 40 mm	50 u.	10.70€
BSA081	TIMON SEPARATOR 50 mm	50 u.	12.60€
BSA106	TIMON SEPARATOR 60 mm	200 u.	85.40€
BSA107	TIMON SEPARATOR 70 mm	200 u.	99.60€

PROTECTIVE SETA



REFERENCE	DENOMINATION	FORMAT	PVP
BSA074	SETA Ø 8 - 20	100 u.	14.35€

COBRA SEPARATOR



REFERENCE	DENOMINATION	FORMAT	PVP
BSA197	COBRA SEPARATOR 25 x 500 mm	1 u.	0.82€
BSA198	COBRA SEPARATOR 30 x 500 mm	1 u.	0.99€
BSA199	COBRA SEPARATOR 35 x 500 mm	1 u.	1.05€
BSA200	COBRA SEPARATOR 40 x 500 mm	1 u.	1.10€
BSA201	COBRA SEPARATOR 50 x 500 mm	1 u.	1.25€

WALL BUSHINGS, CONES AND PLUGS



REFERENCE	DENOMINATION	FORMAT	PVP
BSA088	WALL BUSHING Ø 22 x 2.000 mm	1 u.	2.28€
BSA108	WATERPROOF PLUG Ø 22	250 u.	15.00€
BSA090	WALL PASS CONE Ø 22	200 u.	11.90€



Contact

Sales department
sergio@biltbs.com
tel: (+34) 685 82 70 35

Administration
admin@biltbs.com
tel: (+34) 93 444 72 63

Customer service
hola@biltbs.com
tel: (+34) 93 444 72 63


www.biltbs.com

We are here to provide you with the best solution.

Follow us!

@Bilt.bs

@Bilt Builiding Solutions




BILT®
BUILDING SOLUTIONS